


SHP


SHE



Homelifts



COASTAL LIFTS





# Cabins

GIOCONDA



Gioconda is the ideal cabin for everyone that is looking for a fully customized cabin, with no compromises. It is the best solution for every style, practical and aesthetic needs, and to perfectly match the surrounding environment.

EVO




Evo is the smart cabin, dedicated to whom is looking for the best quality for reasonable price, taking in consideration the design. Minimalist and contemporary, Evo is the right choice for style and convenience with no compromises.



## Gioconda grigio

Grigio caldo fabric skinplate walls, ceiling and COP in brushed stainless steel, nero rocksolid granit floor, four spot lights lighting.




## Gioconda bianco

Bianco microline laminate walls, ceiling and COP in brushed stainless steel, cristallino bianco granit floor, four spot lights lighting.



## Evo inox

Walls and ceiling in brushed stainless steel, Link COP, nero rocksolid floor, starry sky lighting.



## Evo rosso

Bianco lucido skinplate side walls, rosso skinplate rear wall, starry sky lighting, grigio linoleum floor.



## Walls

It is possible to customize walls\*, door side wall, uprights, ceiling, control panel, landing doors and car door. In case of panoramic solutions, materials used for the interior walls can be applied on request also outside the car.

\* Gioconda: available walls up to 1350 mm width for stainless steel and skinplate; a dummy c.o.p. is needed for wider walls

### Skinplate



### Special skinplate




## Standard laminates




## Special laminates



## Stainless Steel



## Glass and Mirror



available for

GIOCONDA

GIOCONDA

GIOCONDA

EVO

GIOCONDA

GIOCONDA

EVO

EVO

note: for all cabins, finishes can be in skinplate or stainless steel options only

## Floors

### Studded Rubber



Nero



Grigio


### Linoleum



Sabbia



Rosso




Caffè



Verde



Blu



Grigio



Nero



Viola


### Granit




Sabbia




Nero



Bianco



Grigio



Other colors  
on request

### Floor By Customer thickness

**GIOCONDA** Max 14 mm

**EVO** Max 20 mm

# Complementary Options

## Ceiling



2 Spotlights



4 Spotlights




Starry

## Handrail



**Straight on wall handrail full length**

Brushed or shiny stainless steel.



**Curved on wall handrail**

Brushed stainless steel length 501 mm.



**Straight handrail over COP**

Brushed or shiny stainless steel, length 410 mm.



**Curved handrail over COP**

Brushed or shiny stainless steel, length 400 mm.

# Customization

## Vertical car operating panel



Standard

**EVO** flush

**GIOCONDA** protruding



Link\*

**EVO** protruding

\*n/a with laminate walls

## Landing position indicator




TFT on a Plate



TFT on a Ala

## Dot matrix position indicators



## TFT position indicator



## Pushbuttons



## Landing operating panels



Plate

Ellipse with mini dot

Ala with key

# Manual swing landing doors

## Iron

- ✔ Anti-rust paint color RAL 7032 (standard);
- ✔ RAL paint in a choice of colours;
- ✔ Stainless steel cladding on landing side;
- ✔ Stainless steel cladding on both sides;
- ✔ Wood cladding (landing side or both sides);
- ✔ Fire-rated doors according to EN81-58: EI 120 (C1 only).



C1 door  
windowless



V1 door window  
100 x 550 mm



P1 door  
(the dimension of  
the window follows  
the door opening)



P2 door  
(the dimension of  
the window follows  
the door opening)

## Anodised aluminium with glass panel



- Door Glass panel:
- Clear
  - Coloured (smoked, grey, bronze)
- Configuration for 4+4+0.76 pane
- Door jamb and frame:
- RAL paint finish in a choice of colours
  - Anodised aluminium

## Iron jamb and full glass door panel



- Door Glass Panel:
- Clear
  - Stopsol bronze
  - Etched
- Jamb:
- RAL paint finish in a choice of colours
  - Stainless steel cladding brushed finish
  - Stainless steel cladding shiny finish

## Automatic side-opening doors



### 2 panels with side opening

Door opening mm: 600 - 650  
- 700 - 750 - 800 - 850 - 900

### Finishings

- Anti-rust paint RAL 7032 (standard)
- RAL paint, colour on request (Only with Sele structure)
- Skinplate and stainless steel (See car finishes)



Glass framed door



Full glass panel

### Glass framed door Headroom from 2500 mm

Dimensions on request  
Clear glass (standard) or colours on request  
Door frame finishes:  
- Anti-rust paint RAL 7032 (standard) or colour on request  
- Stainless steel

### Full glass panel Headroom 2900 mm

Dimensions on request  
Clear glass (standard) or colours on request  
Door frame and lower guide finishings:  
- Anti-rust paint RAL 7032 (standard) or colour on request  
- Stainless steel



## Accessories

### CONTROL

#### **Automatic push button (Standard)**

The controller stops the car at the selected floor single push.

### SAFETY

#### **Emergency lighting (Standard)**

Determines the ignition of an emergency light in the car in case of power cut.

#### **Photocell barrier (Optional)**

A photocell barrier detects (along the full height) object or people that cross the sill and immediately activates blocking mechanisms.

#### **ARD (Optional)**

Enables automatic arrival of the car at floor in the event of a power cut.

#### **Telephone (Standard)**

In the event of passengers getting trapped, it assures a permanent telephone connection to the emergency number.

### ENERGY SAVING

#### **Car light operation (Standard)**

The car light is switched off after a set time to permit energy savings; it is automatically switched back on in the event of a call.

#### **Ceiling with led lighting (Standard)**

Results in improved performance in terms of lifespan, efficiency and energy savings.


## TECHNICAL SPECS

# Main features SHP

## Hydraulic homelift

Australian Compliance	AS1735 part 18 AS1735 part 16 & BCA 3.6
Rated load up to (kg)	400 (500*)
Max travel (m)	13,4 (16,9*)
Max number of stops	8
Speed m/s	0,25
Entrances	1, 2, 3
Landing doors	Automatic side opening or manual swing
Cabin doors	Automatic sliding or no door
Door opening (mm)	500 - 1200
Control	Automatic push button at landings, automatic push button in cabin
Power supply	220 Volts single phase /50Hz
Machinery	Indirect acting piston
Drive system	1 or 2 speeds
Controller	In a cabinet
Std distance between guide brackets (mm)	1500
Frame	Rucksack
Cabin height (mm)	2080 (Evo), 2040 (Gioconda)
Pit Depth (mm)	150 (min 130)
Std / Min headroom (mm)	2400 without cabin door (2500 with automatic sliding door)

\* with limitations




## TECHNICAL SPECS

# Main features SHE

## Traction with gearless motor homelift

Australian Compliance	AS1735 part 18 AS1735 part 16 & BCA E3.6
Rated load up to (kg)	400
Max travel (m)	22
Max number of stops	8
Speed m/s	0,15 (0,3*)
Entrances	1, 2, 3
Landing doors	Automatic side opening or manual swing
Cabin doors	Automatic sliding or no door
Door opening (mm)	500 - 1200
Control	Automatic push button at landings, automatic push button in cabin
Power supply	230 Volts single phase / 50Hz
Machinery	2:1 ratio <i>Gearless</i>
Drive system	VVVF
Controller	Embedded in the shaft and in a console on the door frame
Std distance between guide brackets (mm)	1500
Frame	Rucksack
Cabin height (mm)	2080 ( <i>Evo</i> ) , 2040 ( <i>Gioconda</i> )
Pit Depth (mm)	150 (min 130)
Std / Min headroom (mm)	2750/2500 (with cars > 800 x1200)





All the information, technical data, design, colors and any other on this document, including physical samples are given to the customer as example only and cannot be considered binding.

Any sample or printed color cannot be considered definitive and the final result may change due to different material, color or finish.

The manufacturer reserves the right to change the technical and aesthetical features without notice.

Manufactured by:



Sele srl  
Via 25 Aprile 1945, n°63  
40055 Castenaso (BO)  
Italy



UNI EN ISO 9001:00  
ALL XIII 95/16/CE NR. I 0305

OHSAS 18001  
OCCUPATIONAL HEALTH AND SAFETY  
ASSESSMENT SPECIFICATION



**COASTAL LIFTS**



**HOME LIFTS**



**LIFTS**



**MODERNISATIONS**



**STRUCTURES**

**[www.coastallifts.com.au](http://www.coastallifts.com.au)**

**1800 844 882**